Regional Development and Innovation in the more Diversified Industrial Future

Kaisu Annala Cleantech Strategic Programme Government of Finland

13.11.2014 kaisu.annala@tem.fi



Contents

- Background information
- Bioproducts
- BCD



Population Change and Employment Rate





GDP per capita

purchasing power standards



Figure 8.1 and 8.2: GDP (purchasing power standards) per capita of the Nordic regions in a broader European (2010) and BSR (2009) context



Persons with Tertiary Level Education Nordic Green Innovation

R&D Intensity,% and Green Patent Productivity versus Total





OECD Ministerial Council Meeting Statement on Climate Change, 6 May 2014

- Reinforcing our existing efforts and using the OECD's research and evidence-based analysis, including under the <u>OECD's Green</u> <u>Growth Strategy</u>, to help us to pursue ambitious and cost-effective policies with a view to doing our part to <u>limit effectively the</u> <u>increase in global temperature below 2°C above pre-industrial</u> <u>levels</u> and simultaneously supporting the recovery from the economic and financial crisis, including by:
- investing in public research and fostering a <u>strong business</u>
 <u>climate for new technologies and innovations</u>;
- better aligning investment and climate policies to support an effective partnership among governments, development partners, and the private sector in order to <u>incentivise private investment</u> <u>in low-carbon and climate-resilient infrastructure</u>;
- Achieving the developed countries' goal <u>to jointly mobilise USD</u>
 <u>100 billion per year by 2020</u> from a wide variety of sources...



Estimated Renewable Energy Share of Global Final Energy Consumption, 2012



REN21. 2014. Renewables 2014 Global Status Report (Paris: REN21 Secretariat).





ARBETS- OCH NÄRINGSMINISTERIET MINISTRY OF EMPLOYMENT AND THE ECONOMY

World energy-related CO2 emissions by scenario



Note: Share of savings by sector in 2035 denoted in brackets.



Electricity Generation: a Share Reversal



- Generation today:
 - Fossil fuels: 68%
 - Renewables: 20%

- Generation 2DS 2050:
 - Renewables: 65%
 - Fossil fuels: 20%





Investment in Global Energy Supply by Fossil and Non-fossil Fuel and Power T&D



Notes: Non-fossil fuel includes all renewable technologies, nuclear and biofuels. Power T&D is transmission and distribution for the power sector: this cannot be assigned to either fossil-fuel or non-fossil fuel use. http://www.iea.org/publications/freepublications/publication/weio2014.pdf

Example: Fossil Oil Resources in Russia



Lukoil



New Consortia and Value Chains for Bioproducts

Raw material producers, different industries, machine constructors, traffic companies, funders participate in the development





Competition for Raw Material





Lignocellulose ?





- Plant dry matter, biomass, is called lignocellulosic biomass.
- It is the most abundantly available raw material on the Earth for the production of biofuels. Cellulose and hemicellulose are built from sugars and can be hydrolyzed back to <u>sugars</u>. Lignin functions as glue in wood.





Towards Biobased Products





10

Towards Biobased Products





Example: JV's for Biobased Butadiene (C₄H₆)



- Raw material for rubber for tires, electrical appliances, footwear, plastics, asphalt modifiers, additives for lubricating oil, pipes, building components, and latex
- Biomass-to-butadiene path can be highly competitive with petroleum-based butadiene under current market conditions (said Cobalt)
 Ensyn, Red Arrow,





Butadiene Markets 2011: 10,5 Mt / 40 BUSD



World Consumption of Butadiene-2011

Elastomers (rubber), 60-65%, 4-6% CAGR

- Tires
- Nitrile rubber hoses
- Mechanical belts
- Carpet backing
- Footwear
- Neoprene products

Plastics

• ABS resins, 5-6% growth



Products on the Way to Biobased

- Biofuels for cars, ships, airplanes
- Biogas for coal fired power plants and transportation
- Simple chemicals like
 - Sugars and the chemicals derived thereof
 - Nitrogen nutrient (natural gas)
 - Butadiene for rubber (fossil oil) ٠
 - Lignin and the chemicals derived thereof
- Plastics
 - PE, PLA, PGA, PHA, PHB, PA etc.
- Rubber
- Active carbon
- Carbon fibre



BUILDING BLOCKS

DOE's Biomass Program identified 12 chemicals that can be produced from plant sugars and serve as key feedstocks in future biorefineries



Global Paper Market 2000-2012



Consumption by grade

450 **seruot** 400

Willion 350

300

250

200

150

100

50

0

2000 2001

Special

Newsprint



China vs Rest of the World



Newsprint and



Global Forest Industry Raw Material Basis

Industrial Roundwood consumption



Recovered Fibre Pulp Calculation: 1 tonne recovered fibre pulp for $\sim 2,5-5 \text{ m}^3 \text{ of wood}$





World production of Municipal Solid Waste (MSW), 2012*–2025



The Finnish Way



 で い で の で し

Energy and Environment (Cleantech) R&D in Finland since 2008

€ 200 M/a from Tekes + >€ 800 M/a from companies = > € 1 B/a



Governmental Strategic Programmes

Primary actions

- 1. BCD up to a top theme of the country brand
- 2. Advancing investments
- 3. Creating demonstration environments
- 4. Strengthening competitive operation environment







• Cleantech

<u>2012</u>

• Revenue* 25 B€



2020 50 B€ 40 000 new jobs

Bioeconomy

<u>2012</u>

• Output 60 B€



Digitalization TBA

* Numbers do not include energy- or forest industry



10

Bio-product mill - more than a traditional pulp mill

- Wood is refined into bio-materials, bio-energy, biochemicals and fertilizers sustainably and with great resource efficiency
- The mill will not use fossil fuels

7

- Energy efficiency will be emphasized when choosing equipment and machinery
- The operating model will be based on an efficient partner network
 - Creates opportunities especially for small and mediumsized enterprises to produce innovative bio-products with high added value





Metsä Group



KasvuOpen 2015: Runway for the Growth

- 1. Present your growth target
- 2. Participate regionally
- 3. Apply
- 4. Rules of the game: trust, openness constructive
- 5. Pitch
- 6. Meet 10 specialists in 45 min
- 7. Network
- 8. Winners will participate in the statewide KasvuOpen Final
- 9. 80 finalists will continue the process



Climate Leadership Council	Caverion	@ Fortum	Gasum
	Kemira	KONE	NESTE OIL
	NOKIA	Outotec SITIR	

Vision 2030

Forerunner companies are leading other companies and organisations with their example to move towards operations that lead to carbon-neutrality and sustainable use of natural resources, both in Finland and abroad. They have succeeded in creating competitive solutions to global environmental challenges.

Strategy

The members of the Council are systematically developing their operations / actions, thereby encouraging other organisations, communities and decision-makers to join. The Council is also collecting best practices and sharing information.

Each year, the Council selects a few significant common projects to develop and promote.







Honkajoki / Kirkkokallio





MINISTRY OF EMPLOYMENT AND THE ECONOMY

KIP Kokkola Industrial Park

Sulphuric acid / Boliden (ex Kemira) Calcium chloride / TETRA Chemicals Hydrochloric acid / TETRA Chemicals Potassium sulphate / Yara Phosphoric acid / Yara Limestone / Nordkalk Carbon dioxide / Polargas / Woikoski Ammonia / Yara Cobalt products / Freeport Cobalt Oy (before OMG) Zinc / Boliden

Utilities

Sea / fresh / potable / deionised water District heating, Compressed air, Nitrogen (gaseous) , Oxygen (gaseous) Heavy oil Steam, Power

Infrastructure

Roads, railroad, port City services





Recognize the Opportunities – Improve the Result

 Database for industrial side streams available for utilization by outsiders



Still Envying : Biopreferred.gov of USA



- Congressionally mandated Federal buying preference for biobased products into actual buying, certification and label
- Certification
- Challenge: specifications that do not pertain to product performance but which can only be fulfilled by petroleum-based content – and in some cases, specs require petroleum-based content
- 1st stage: declaration of performance, 2nd: testing of samples, 3rd stage: retesting for compliance
- To date, traditional materials that "don't need help" wood, paper, leather, cotton are excluded from the program – plus food, and fuels have been excluded



Circular Economy in Västerås, Sweden (Finnish equipment)





Algae Pilot in Kalundborg, Denmark





EU Eco-innovation Index, 2013

• Sweden, Finland, Germany, Denmark, Great Britain, Spain...



"Finland is one of the most innovative EU Member States. The Finnish national innovation system is an extensive entity, based on education, research, product development as well as knowledge-intensive business and industry. The innovation policy is bound to science and technology policies, which together aim at ensuring balanced development and extensive cooperation within the innovation system. Eco-efficiency and environmental approach has traditionally been a baseline of Finnish production technology, which has been apparent through the research and development (R&D) funding and development of increased eco-efficiency in industrial processes."

http://www.eco-innovation.eu/index.php?option=com_content&view=article&id=469&Itemid=57

Global Cleantech Innovation Index 2014

• Israel, Finland, USA, Sweden, Denmark, Great Britain, Canada, Switzerland, Germany, Ireland, Netherlands...



Figure 2: Cleantech Countries Innovation Index

http://www.cleantech.com/wp-content/uploads/2014/06/WWF_2014_Coming_Clean_2014_FINAL.pdf



Bioeconomy, Cleantech, Digitalization in Finland

- 8.5.2014 Decision-in-principle of the government about the spear heads for growth: bioeconomy and cleantech, including strategies
- June 2014 Renewal of industrial policy, including cleantech and bioeconomy and digitalization
- June 2014 New government programme, including bcd
- 2013-2014 Renewal of funding, including bcd
- 1.7.2014 EU change in state aid, allowing funding of demonstration plants
- August Future review including bcd

There is the will!

Find the ways!



Thank you!







First commercial installation of Lignoboost[™] lignin recovery, Domtar

Plymouth, NC in US: 5% increase in pulp production capacity and 25,000 t/a of lignin

Scope: Lignin recovery island



First demonstration scale integrated pyrolysis unit, Fortum

Joensuu in Finland: Convert 225,000 m³ of forest residue and sawdust into 50,000 tons of bio-oil

Scope: Pyrolysis plant



Germany's largest lignocellulosic ethanol demonstration plant, Clariant

Straubing in Germany: Convert 4,500 tonnes of wheat straw into 1,000 tonnes of ethanol

Scope: Pre-hydrolysis equipment



World's largest Waste-to-Energy Gasification Plant, Lahti Energia

Generate 50 MWe and 90 MWth from 250,000 t/a of recovered waste

Scope: Gasification plant





- The 140 MW gasification plant produces biogas from wood (mainly forest residue) to generate electricity and provide district heating to the local community
- Nearly half of the coal used by the plant can be replaced with gasified biomass
- The €40M project became operational in March 2013
- The biogasification plant is located adjacent to the company's existing 565MW Vaskiluoto 2 coal-fired plant











Éxhaust gas Scrubbers

Dual fuel engines





Ballast water mgmt



Power plants

- Flexicycle
- CHP
- Floating
- GasCube
- Wartsila OilCube







Example of a Waste Management Consortium Ready for Service Doranova, Enevo, Ferroplan, Ficote, Gradientti, Haba Group, Odoroff, Molok, Tramel



















ZENFOBOTICS°

- ZenRobotics Brain is the name of the robot control technology
- ZenRobotics Recycler can identify wanted items and raw materials from the waste stream and reclaim them for recycling.
- Multiple sensor inputs in realtime, reacts to changes and learns from its mistakes
 - various camera types (visible light, spectrometric cameras like NIR), 3D scanners, haptics, metal detectors etc.
- On the market, references exist



BMH Technology

- Example: Tyrannosaurus SRF
- The Waste-to-Energy systems are industrial scale waste processing plants including heavy-duty shredding equipment, separation technology and state-of-the-art conveying and storing technology
- The plants are able to handle various types of waste in a single plant:.
 - From household and commercial waste to industrial waste and difficult mono fractions to high quality SRF.







AW Energy WaveRoller



Finnish developer AW Energy is staking a claim at the front of the wave technology pack after the performance of its WaveRoller technology was verified by independent experts.

The 100kW device (*pictured*) generated 500kWh in a 24-hour period in moderate seas of 2.5 metres significant wave height, indicating a capacity factor of around 20%.

The findings, *first reported yesterday in subscription newsletter reNews*, were certified by experts at DNV GL.

S

P

Data suggests a larger 300kW version will pump out as much as 2.1MWh per day in



Vaisala in Brief

- Vaisala is a global leader in environmental and industrial measurement.
- We serve customers in weather and controlled environment markets.

Vision

 To be the leading provider of operational value for our customers in targeted segments of weather and controlled environment markets.

Mission

 To offer high reliability and added value with our products and services by bringing together customer business expertise and our technical expertise.

Vaisala founded in Finland (Vilho Väisä 1936 1985 Acquisition of Tycho Technologies Inc., U hbH, Germany Init of Radian Acquisition of CERTINC., US 2005 Acquisition of Sigmet Corporation, US 2009 Acquisition of Aviation Systems Maintena 2009 Acquisition of Quixote Transportation Tec 2010 Acquisition of Veriteg Instruments Inc., Ca 2010 Divestment of oxygen measurement tech 2012 Divestment of wind profiler business Divestment of three non-weather road tra 2013 2013 V Acquisition of Second Wind Systems Inc.

VAISALA

Page 3 / November 1, 2013 / @Valsala



Monitor data according needs

Environmental data

- Oil spill detection
- Oxygen content
- Algae status
- Salinity
- Turbidity

Navigation data

- Wave height
- Water level and tides
- Current; direction and strength
- Water temperature
- AtoN remote control

LED Lantern Data logger, GSM modem in water tight section Water level and wave height sensors Water quality sensors Current sensor 88 Float Water quality sensor Acoustic release

Seppo Virtanen 20.9.2013

www.seahow...





Environmental monitoring

- A-Weather weather stations
- A-WS environmental monitoring station
- A-Water water monitoring station

Control services for agriculture

- Fresh produce storaging
- Monitoring milk containers
- Growth condition monitoring

Innovative solutions for cold chain and industry

 Temperature, process surveillance, maintenance, logistics etc.





Thank you!



